## **Declaration of Conformity**



The undersigned, representing the following:

Manufacturer	
Marley Eternit Limite	d
Lichfield Road, Brans	ston,
Burton-Upon-Trent, I	DE14 3HG, UK
Manufacturing plant	8020

Following the provisions of the 89/106/EEC Construction Products Directive herewith declare that the products **Profile Category C** to which this declaration relates are in conformity with the provisions as described in the annex ZA of the following standard(s):

## EN494: 2004

## Fibre-cement profiled sheets and fittings – Product specification and test methods

Intended use(s):

- discontinuously laid roof coverings for buildings
- internal wall and external wall and ceiling finishes

Characteristic	Performance declaration
Mechanical resistance	Class C1X
External fire exposure	Deemed to satisfy
	commission decision (2000/553/EC)
Reaction to fire (1)	Class A2 – s1, d0
Water permeability	Pass
Dimensional variations	Pass
Release of dangerous	Type NT
substances	
Durability against warm water	Pass
Durability against soak / dry	Pass
Durability against freeze-thaw	Pass
Durability against heat-rain	Pass
Impact Resistance	Pass

(1) Name and address of notified laboratory involved: Warrington Fire Research Limited, Holmsfield Road, Warrington, Cheshire, WA1 2DS, UK.

For the manufacturer		
Signature:		
3		
	000	
Name:	Simon Rawlinson	
Position:	Works Manager	
Valid date:	01 January 2011	